

# LYRUSFLEX


## ELITE SERIES




GLACIER



GRAND



LASSEN



MESA




REEF



SNOW




TETON




UINTA



ZION



NEBO



TIMPANOGAS

### Specifications

---

**Material:** 100% virgin vinyl with fiberglass stability layer

**Plank Sizes:** 9" x 60" | 18" x 36"

**Thickness:** 5 mm

**Wear Layer:** 30 mils (ceramic bead-infused)

**Finish:** Natural matte emboss

**Bevel:** Micro-beveled edge

**Installation Method:** Loose lay/glue down

**Plank Visuals (2x unique):** Real Grain Technology

### Features

---

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

### Packaging

---

**SQ/FT per Carton (9" x 60"):** 30.0

**SQ/FT per Carton (18" x 36"):** 27.0

### Warranties

---

**Multifamily/Residential:** 20 Year

**Medium Commercial:** 10 year

### Certification

---

- SCS FloorScore® Certified
- Green Guard Gold

# LYRUSFLEX

## PREMIUM SERIES




GLACIER



GRAND



LASSEN




MESA




REEF



SNOW




TETON




UINTA



ZION



NEBO



TIMPANOGAS

### Specifications

---

**Material:** 100% virgin vinyl with fiberglass stability layer

**Plank Sizes:** 9" x 60" | 18" x 36"

**Thickness:** 3 mm

**Wear Layer:** 20 mils (ceramic bead-infused)

**Finish:** Natural matte emboss

**Bevel:** Micro-beveled edge

**Installation Method:** Loose lay/glue down

**Plank Visuals (2x unique):** Real Grain Technology

### Features

---

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

### Packaging

---

**SQ/FT per Carton (9" x 60"):** 45.0

**SQ/FT per Carton (18" x 36"):** 45.0

### Warranties

---

**Residential:** 20 Year

**Multifamily/Light Commercial:** 10 year

### Certification

---

- SCS FloorScore® Certified
- Green Guard Gold

# LYRUSFLEX

## SELECT SERIES



**GRAND**



**LASSEN**



**MESA**



**TETON**

### Specifications

---

**Material:** 100% virgin vinyl

**Plank Sizes:** 7" x 48"

**Thickness:** 2 mm

**Wear Layer:** 12 mils (ceramic bead-infused)

**Finish:** Natural matte emboss

**Bevel:** Square edge

**Installation Method:** Glue down

### Features

---

- **Waterproof**
- **Stain Resistant**
- **Pet Friendly**
- **Dent Resistant**

### Packaging

---

**SQ/FT per Carton (7" x 48"):** 51.33

### Warranties

---

**Residential:** 10 Year

**Multifamily:** 10 year

### Certification

---

- **SCS FloorScore® Certified**
- **Green Guard Gold**

# STONE COMPOSITE

## ELITE SERIES




ACADIA



BASIN



BEND




BISCAYNE



CARLSBAD



CASCADE



CONGAREE



CUYAHOGA




DENALI



GATES



GLACIER




GRAND



KATMAI




KENAI



LASSEN



MAMMOTH



MESA



REEF

More Elite colors on next page.

### Specifications

**Material:** Stone Polymer Composite

**Plank Size:** 9"x 72"

**Thickness:** 5 mm (core) + 1.5 mm (pad)

**Wear Layer:** 30 mils (ceramic bead-infused)

**Plank Visuals (2x unique):** Real Grain Technology

**Finish:** Matte finish embossed in register

**Bevel:** Enhanced beveled edge

**Attached Pad:** 1.5 mm acoustical IXPE

**Installation Method:** Unilin locking system

### Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption \*

\* ASTM E492-09 Impact Sound Conduction IIC 57

### Packaging

**SQ/FT per Carton:** 27

### Warranties

**Commercial:** 10 year

**Residential:** 20 year

### Certification

- SCS FloorScore® Certified
- Green Guard Gold

# STONE COMPOSITE

## ELITE SERIES

### Elite Series Continued



**ROOSEVELT**




**SAND**



**SHENANDOAH**



**SNOW**



**SPRINGS**



**TETON**



**UINTA**



**ZION**

### Specifications

---

**Material:** Stone Polymer Composite

**Plank Size:** 9"x 72"

**Thickness:** 5 mm (core) + 1.5 mm (pad)

**Wear Layer:** 30 mils (ceramic bead-infused)

**Plank Visuals (2x unique):** Real Grain Technology

**Finish:** Matte finish embossed in register

**Bevel:** Enhanced beveled edge

**Attached Pad:** 1.5 mm acoustical IXPE

**Installation Method:** Unilin locking system

### Features

---

- **Waterproof**
- **Pet Friendly**
- **Stain Resistant**
- **Sound Absorption \***

\* ASTM E492-09 Impact Sound Conduction IIC 57

### Packaging

---

**SQ/FT per Carton:** 27

### Warranties

---

**Commercial:** 10 year

**Residential:** 20 year

### Certification

---

- **SCS FloorScore® Certified**
- **Green Guard Gold**

# STONE COMPOSITE

## PREMIUM SERIES



ACKLEY



CHADRON



CUSTER



DAROGA



DORADO



EDNESS



FREMONT




GLENDON



GUERNSEY



GUNLOCK



KITSAP




LORY



PALISADE



PEMBINA



PONDEROSA



SICA

### Specifications

**Material:** Stone Polymer Composite

**Plank Size:** 9"x 60"

**Thickness:** 4.5 mm (core) + 1.5 mm (pad)

**Wear Layer:** 20 mils (ceramic bead-infused)

**Plank Visuals (2x unique):** Real Grain Technology

**Finish:** Matte finish Natural Embossing

**Bevel:** Enhanced beveled edge

**Attached Pad:** 1.5 mm acoustical IXPE

**Installation Method:** Unilin locking system

### Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption \*

\* ASTM E492-09 Impact Sound Conduction IIC 57

### Packaging

**SQ/FT per Carton:** 33.60

### Warranties

**Light Commercial:** 10 year    **Residential:** 20 year

### Certification

- SCS FloorScore® Certified
- Green Guard Gold

# STONE COMPOSITE

## SELECT SERIES



GLACIER



GRAND



LASSEN



MESA



REEF



SNOW



TETON



UINTA



ZION

### Specifications

---

**Material:** Stone Polymer Composite

**Plank Size:** 7"x 60"

**Thickness:** 4 mm (core) + 1.5 mm (attached IXPE pad)

**Wear Layer:** 20 mils

**Finish:** Matte finish embossed in register

**Bevel:** Micro-beveled edge

**Attached Pad:** 1.5 mm acoustical IXPE

**Installation Method:** Unilin locking system

### Features

---

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption \*

\* ASTM E492-09 Impact Sound Conduction IIC 57

### Packaging

---

**SQ/FT per Carton:** 29.70

### Warranties

---

**Multifamily:** 10 year

**Residential:** 20 year

**Light Commercial:** 10 year

### Certification

---

- SCS FloorScore® Certified
- Green Guard Gold

# STONE COMPOSITE

## ESSENTIALS SERIES




GLEND0



MAMMOTH



PALISADE



SHENANDOAH

### Specifications

---

**Material:** Stone Polymer Composite

**Plank Size:** 7" x 48"

**Thickness:** 4 mm (core) + 1 mm (attached IXPE pad)

**Wear Layer:** 12 mils

**Finish:** Matte finish natural emboss

**Bevel:** Micro-beveled edge

**Attached Pad:** 1 mm acoustical IXPE

**Installation Method:** Unilin locking system

### Features

---

- **Waterproof**
- **Pet Friendly**
- **Stain Resistant**
- **Sound Absorption \***

\* ASTM E492-09 Impact Sound Conduction IIC 57

### Packaging

---

**SQ/FT per Carton:** 23.36

### Warranties

---

**Residential:** 10 year

### Certification


---

- **SCS FloorScore® Certified**
- **Green Guard Gold**


# STONE COMPOSITE

## COMPOSITION & TRANSITIONS


### Composition



### Transitions




QUARTER ROUND




END CAP




T MOLDING



REDUCER



ELITE/PREMIUM SQUARE NOSE



SELECT SQUARE NOSE