

LYRUSFLEX

ELITE SERIES



GLACIER



GRAND



LASSEN



MESA



REEF



SNOW




TETON




UINTA




ZION



DELANO



NEBO



TIMPANOGAS

Specifications

Material: 100% virgin vinyl with fiberglass stability layer

Plank Sizes: 9" x 60" | 18" x 36"

Thickness: 5 mm

Wear Layer: 30 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Micro-beveled edge

Installation Method: Loose lay/glue down

Plank Visuals (2x unique): Real Grain Technology

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

Packaging

SQ/FT per Carton (9" x 60"): 30.0

SQ/FT per Carton (18" x 36"): 27.0

Warranties

Multifamily/Residential: 20 Year

Medium Commercial: 10 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

LYRUSFLEX

PREMIUM SERIES



GLACIER



GRAND



LASSEN



MESA



REEF



SNOW




TETON




UINTA




ZION



DELANO



NEBO



TIMPANOGAS

Specifications

Material: 100% virgin vinyl with fiberglass stability layer

Plank Sizes: 9" x 60" | 18" x 36"

Thickness: 3 mm

Wear Layer: 20 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Micro-beveled edge

Installation Method: Loose lay/glue down

Plank Visuals (2x unique): Real Grain Technology

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

Packaging

SQ/FT per Carton (9" x 60"): 45.0

SQ/FT per Carton (18" x 36"): 45.0

Warranties

Residential: 20 Year

Multifamily/Light Commercial: 10 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

LYRUSFLEX

SELECT SERIES



GRAND



LASSEN



MESA



TETON

Specifications

Material: 100% virgin vinyl

Plank Sizes: 7" x 48"

Thickness: 2 mm

Wear Layer: 12 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Square edge

Installation Method: Glue down

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

Packaging

SQ/FT per Carton (7" x 48"): 51.33

Warranties

Residential: 10 Year

Multifamily: 10 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

ELITE SERIES




ACADIA



BASIN



BEND




BISCAYNE



CARLSBAD



CASCADE



CONGAREE



CUYAHOGA



DENALI



GATES



GLACIER



GRAND




JOSHUA



KATMAI



KENAI



KOBUK



LASSEN



MAMMOTH

More Elite colors on next page.

Specifications

Material: Stone Polymer Composite

Plank Size: 9" x 72"

Thickness: 5 mm (core) + 1.5 mm (pad)

Wear Layer: 30 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish embossed in register

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 27

Warranties

Commercial: 10 year

Residential: 20 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

ELITE SERIES

Elite Series Continued



MESA




PINNACLE



REEF



ROOSEVELT




ROYALE



SAGUARO




SAND



SHENANDOAH



SNOW



SPRINGS



TETON



UINTA



WRANGELL



ZION

Specifications

Material: Stone Polymer Composite

Plank Size: 9" x 72"

Thickness: 5 mm (core) + 1.5 mm (pad)

Wear Layer: 30 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish embossed in register

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 27

Warranties

Commercial: 10 year

Residential: 20 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

PREMIUM SERIES



ACKLEY



BANNACK




BRUNEAU



DAROGA



EDNESS



FREMONT



GLENDON



GUERNSEY



GUNLOCK



KITSAP



KODACHROME



LORY



PALISADE



PONDEROSA



SYLVAN

Specifications

Material: Stone Polymer Composite

Plank Size: 9" x 60"

Thickness: 4.5 mm (core) + 1.5 mm (pad)

Wear Layer: 20 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish Natural Embossing

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 33.60

Warranties

Light Commercial: 10 year

Residential: 20 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

SELECT SERIES



GLACIER



GRAND



LASSEN



MESA



REEF



SNOW



TETON



UINTA



ZION

Specifications

Material: Stone Polymer Composite

Plank Size: 7" x 60"

Thickness: 4 mm (core) + 1.5 mm (attached IXPE pad)

Wear Layer: 20 mils

Finish: Matte finish embossed in register

Bevel: Micro-beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 29.70

Warranties

Multifamily: 10 year

Residential: 20 year


Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

COMPOSITION & TRANSITIONS

Composition



Transitions

