

LYRUSFLEX

ELITE SERIES




GLACIER



GRAND



LASSEN



MESA




REEF



SNOW




TETON




UINTA




ZION



DELANO



NEBO



TIMPANOGAS

Specifications

Material: 100% virgin vinyl with fiberglass stability layer

Plank Sizes: 9" x 60" | 18" x 36"

Thickness: 5 mm

Wear Layer: 30 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Micro-beveled edge

Installation Method: Loose lay/glue down

Plank Visuals (2x unique): Real Grain Technology

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

Packaging

SQ/FT per Carton (9" x 60"): 30.0

SQ/FT per Carton (18" x 36"): 27.0

Warranties

Multifamily/Residential: 20 Year

Medium Commercial: 10 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

LYRUSFLEX

PREMIUM SERIES




GLACIER



GRAND



LASSEN



MESA



REEF



SNOW




TETON




UINTA




ZION



DELANO



NEBO



TIMPANOGAS

Specifications

Material: 100% virgin vinyl with fiberglass stability layer

Plank Sizes: 9" x 60" | 18" x 36"

Thickness: 3 mm

Wear Layer: 20 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Micro-beveled edge

Installation Method: Loose lay/glue down

Plank Visuals (2x unique): Real Grain Technology

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Dent Resistant

Packaging

SQ/FT per Carton (9" x 60"): 45.0

SQ/FT per Carton (18" x 36"): 45.0

Warranties

Residential: 20 Year

Multifamily/Light Commercial: 10 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

LYRUSFLEX

SELECT SERIES



GRAND



LASSEN



MESA



TETON

Specifications

Material: 100% virgin vinyl

Plank Sizes: 7" x 48"

Thickness: 2 mm

Wear Layer: 12 mils (ceramic bead-infused)

Finish: Natural matte emboss

Bevel: Square edge

Installation Method: Glue down

Features

- **Waterproof**
- **Stain Resistant**
- **Pet Friendly**
- **Dent Resistant**

Packaging

SQ/FT per Carton (7" x 48"): 51.33

Warranties

Residential: 10 Year

Multifamily: 10 year

Certification

- **SCS FloorScore® Certified**
- **Green Guard Gold**

STONE COMPOSITE

ELITE SERIES




ACADIA



BASIN



BEND




BISCAYNE



CARLSBAD



CASCADE



CONGAREE



CUYAHOGA



DENALI



GATES



GLACIER



GRAND




JOSHUA



KATMAI



KENAI



KOBUK



LASSEN



MAMMOTH

More Elite colors on next page.

Specifications

Material: Stone Polymer Composite

Plank Size: 9"x 72"

Thickness: 5 mm (core) + 1.5 mm (pad)

Wear Layer: 30 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish embossed in register

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 27

Warranties

Commercial: 10 year

Residential: 20 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

ELITE SERIES

Elite Series Continued



MESA




PINNACLE



REEF



ROOSEVELT




ROYALE



SAGUARO




SAND



SHENANDOAH



SNOW



SPRINGS



TETON



UINTA



WRANGELL



ZION

Specifications

Material: Stone Polymer Composite

Plank Size: 9"x 72"

Thickness: 5 mm (core) + 1.5 mm (pad)

Wear Layer: 30 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish embossed in register

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- Waterproof
- Stain Resistant
- Pet Friendly
- Sound Absorption *

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 27

Warranties

Commercial: 10 year

Residential: 20 year

Certification

- SCS FloorScore® Certified
- Green Guard Gold

STONE COMPOSITE

PREMIUM SERIES



ACKLEY



BANNACK




BRUNEAU



DAROGA



EDNESS



FREMONT



GLENDON



GUERNSEY



GUNLOCK



KITSAP



KODACHROME



LORY



PALISADE



PONDEROSA



SYLVAN

Specifications

Material: Stone Polymer Composite

Plank Size: 9"x 60"

Thickness: 4.5 mm (core) + 1.5 mm (pad)

Wear Layer: 20 mils (ceramic bead-infused)

Plank Visuals (2x unique): Real Grain Technology

Finish: Matte finish Natural Embossing

Bevel: Enhanced beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- **Waterproof**
- **Pet Friendly**
- **Stain Resistant**
- **Sound Absorption ***

** ASTM E492-09 Impact Sound Conduction IIC 57*

Packaging

SQ/FT per Carton: 33.60

Warranties

Light Commercial: 10 year **Residential:** 20 year

Certification

- **SCS FloorScore® Certified**
- **Green Guard Gold**

STONE COMPOSITE

SELECT SERIES



GLACIER



GRAND



LASSEN



MESA



REEF



SNOW



TETON



UINTA



ZION

Specifications

Material: Stone Polymer Composite

Plank Size: 7"x 60"

Thickness: 4 mm (core) + 1.5 mm (attached IXPE pad)

Wear Layer: 20 mils

Finish: Matte finish embossed in register

Bevel: Micro-beveled edge

Attached Pad: 1.5 mm acoustical IXPE

Installation Method: Unilin locking system

Features

- **Waterproof**
- **Pet Friendly**
- **Stain Resistant**
- **Sound Absorption ***

* ASTM E492-09 Impact Sound Conduction IIC 57

Packaging

SQ/FT per Carton: 29.70

Warranties

Multifamily: 10 year

Residential: 20 year

Light Commercial: 10 year


Certification

- **SCS FloorScore® Certified**
- **Green Guard Gold**


STONE COMPOSITE

COMPOSITION & TRANSITIONS


Composition



Transitions




QUARTER ROUND




END CAP




T MOLDING



REDUCER



ELITE/PREMIUM SQUARE NOSE



SELECT SQUARE NOSE